

## WELCOME THE FUTURE OF HIGH DEFINITION VIDEO RECORDING

View your world in more detail than ever with real-time 4K HD recording for 4× the detail of 1080p. 4K video output lets you view multiple HD channels in full resolution on a 4K TV. The NVR's Power over Ethernet ports make setup quick and easy, with one cable installation per camera that provides both power and HD video.







8/16/32 Channels 2-8TB HDD 4K Support 8/16 PoE Port



### LOREX 4K ULTRA HD NETWORK VIDEO RECORDER

### **FEATURES:**

- Real-time recording up to 8MP on all channels 4× the detail of 1080p
- Supports industry-leading 4K recording <sup>1</sup>
- 8/16 built in PoE (Power over Ethernet) ports providing video and power over a single Ethernet cable
- RapidRecap® see the day in a minute with hours of activity compiled into a short video summary
- Lorex Secure<sup>™</sup> apps for live viewing, playback, video recording & snapshots (iPhone<sup>®</sup> / iPad<sup>®</sup> / Android<sup>™</sup>)<sup>2</sup>
- PC and Mac compatible FLIR Cloud™ video management software gives you complete control over your security system
  from anywhere <sup>2</sup>
- 24/7 security-grade pre-installed hard drive <sup>3</sup>
- Expandable high capacity storage up to 16TB (2×8TB HDD)
- Automatically detects compatible IP cameras in the network <sup>4</sup>
- 4K video output view multiple HD channels at once in full resolution on a 4K TV
- H.265 / H.264 video compression offers reduced file size and improved network performance for remote viewing<sup>3</sup>
- Mirror hard drive recording secure your recordings by backing up footage to an internal hard drive at the same time as recording to the primary hard drive <sup>5</sup>
- Pentaplex Operation view, record, playback, back up & remotely control the system simultaneously
- Click-and-drag digital zoom in live view and playback
- Convenient front panel button controls
- Accurate time stamps with NTP & daylight savings time
- Instant backup of live video to a USB flash drive
- Automatic firmware upgrade over the Internet ensures your system remains up-to-date 6
- Push notifications of motion events
- Instant email alerts with snapshot attachment
- Multi-streaming to conserve bandwidth
- · Continuous, scheduled, and motion recording
- Dual video outputs (HDMI and VGA) to connect multiple monitors
- HDMI cable included for simple connection to HD & 4K TVs





# LOREX 4K ULTRA HD NETWORK VIDEO RECORDER Specifications

SYSTEM	
Operating System	Linux (embedded)
Pentaplex	Simultaneous View, Record, Playback, Backup & Remote Monitoring
Number of Channels	8/16/32 Channels
Inputs/Outputs	
Video IN	8ch: 8 PoE Video Input 16/32ch: 16 PoE Video Input
Video OUT	No
VGA OUT	Yes
HDMI	Yes
Audio IN	1 Line IN (RCA) for service only
Audio OUT	1 Line OUT (RCA) for service only
USB Port	1 at the back, 1 at the front
Alarm IN	4 Alarm IN
Alarm OUT	2 Alarm OUT
Video Output Resolution	3840×2160, 1920×1080, 1280×1024, 1280×720, 1024×768
PTZ control	Lorex IP PTZ cameras only
Display	8ch: 1/4/8 16ch: 1/4/8/9/16 32ch: 1/4/8/9/16/25/36
Live Display Speed	8ch: 240fps NTSC / 200fps PAL 16ch: 480fps NTSC / 400fps PAL 32ch: 960fps NTSC / 800fps PAL
OSD	ON/OFF
System Navigation	USB Mouse, IR Remote Control, Front Panel Buttons
Motion Area Setting	Fixed Grid (22×18)
Sensitivity Levels	100
Firmware Upgrade	Automatic over the Internet & via USB device and network
User Authority	By user group
Time Synchronization	Automatic time sync by NTP server
RECORDING	
Video Compression	H.264 / H.265
Audio Compression	G.711
Resolution	Up to 4K (3840x2160), 1080p (1920x1080)
Record Rate	8ch: 240fps@720p/1080p/3MP/4MP/8MP 16ch: 480fps@720p/1080p/3MP/4MP/8MP 32ch: 960fps@720p/1080p/3MP/4MP/8MP
Recording Resolution Setting	Per camera for different resolutions
Recording Quality Control	6 Levels
Recording Schedule	By hour, by day, by recording mode, by motion, by alarm, by channel
Pre Recording	Max. 4 Secs
Post Recording	Max. 5 Minutes
Reliability	Watch-Dog, auto-recovery after power failure
Covert Video	Yes

PLAYBACK				
Playback Channel	1CH/4CH@4K, 8CH@4MP, 16CH@2MP			
Playback Speed	Variable Max 16x			
Playback Players	Backup Player			
Search	By Time & Event			
Log Search	Up to 1,000 lines for motion detected, configuration changes, connects/disconnects and video loss			
Audio Play	Yes (audio camera required)			
STORAGE & ARCHIVE				
Storage	Up to 2 HDDs (SATA)			
Maximum Capacity	Up to 2x8TB (16TB Max)			
Backup Media	USB Flash Drive & HDD			
Backup File Format	DAV or ASF File			
CONNECTIVITY				
Cloud Connection	Lorex Secure <sup>™</sup>			
Supported Operating Systems	Windows™ / Mac OS X			
Remote Software	Client Software (PC & Mac)			
Email Notification	Text with snapshot			
Instant Smart Phone & Tablet	Android™, iPad ®, iPhone ®			
DDNS	Free Lorex DDNS			
System Configuration	Full setup configuration over network			
Ports	Programmable by User			
Network Protocol	HTTP, IPv4/IPv6, TCP/IP, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter			
Network Interface	10/100/1000-Base-TX, RJ-45			
Network Bit Rate	320Mbps total, 48~8192kbps per camera			
GENERAL				
Power Consumption	Approx. 15W (no HDD included)			
Supply Voltage	100VAC-240VAC, 50/60Hz			
Total PoE Power Output	130W (Max 25W per Camera)			
Unit Dimensions (W × D × H)	14.7 × 12.9 × 2.1" / 375 × 327 × 53mm			
Unit Weight	8ch: 5.1lbs / 2.6kg 16/32ch: 13.2lbs / 5.9kg			
Operating Temperature	14° ~ 131°F / -10° ~ 55°C			
Humidity	10 ~ 90% RH			

RECORDING RESOLUTION (PIXELS) & MAXIMUM SPEED (FPS - FRAMES PER SECOND)									
		720p	1080p	ЗМР	SUPER HD 4MP	4K			
		1280×720	1920×1080	2048×1536	2688×1520	3840×2160			
O a la	Total	240/200	240	240	240	240			
8ch	Per channel	30/25	30	30	30	30			
16ch	Total	480/400	480	480	480	480			
	Per channel	30/25	30	30	30	30			
32ch	Total	960/800	960	960	960	960			
	Per channel	30/25	30	30	30	30			



### 4K ULTRA HD NETWORK VIDEO RECORDER Product Information

### **NVR Inputs & Outputs**

8 Channel

16/32 Channel





### **Dimensions:**



#### **Product Information:**

MODEL	CONFIGURATION	PACKAGE	W x D x H Inches & millimeters	WEIGHT	CUBE	UPC Code	
NR9082X	8-Channel 4K HD NVR with 2TB HDD	Brown Box	18.5 × 6.9 × 16.7" / 470 × 175 × 425mm	11.6lbs / 5.3kg	1.3cbf / 0.04cbm	6-95529-01892-8	
NR9163X	16-Channel 4K HD NVR with 3TB HDD	Brown Box	18.5 × 6.9 × 16.7" / 470 × 175 × 425mm	11.8lbs / 5.3kg	1.3cbf / 0.04cbm	6-95529-01893-5	
NR9326X	32-Channel 4K HD NVR with 6TB HDD	Brown Box	18.5 × 6.9 × 16.7" / 470 × 175 × 425mm	12.4lbs / 5.6kg	1.3cbf / 0.04cbm	6-95529-01894-2	
Includes: 4K HD NVR with pre-installed HDD 1× HDMI Cable 1× Ethernet Cable 1× Power Adapter 1× Mouse 1× Remote Control Quick Start Guides							

#### Disclaimers:

- 1. 8MP IP cameras are required to take advantage of 4K recording.
- 2. Requires a high speed internet connection and a router (not included). A minimum upload speed of 3.5Mbps is required for the best video performance. Up to 3 devices may connect to the system at the same time. For the latest list of supported apps and devices, please visit <a href="https://www.lorex.com/support">www.lorex.com/support</a>
- 3. Recording time may vary based on recording resolution & quality, lighting conditions and movement in the scene.
- 4. Compatible with Lorex PoE HD IP cameras only. For a list of compatible cameras, please visit www.lorex.com/support
- 5. Mirror recording requires a second hard drive (not included) to be installed in the NVR. Mirrored hard drive must be as large or larger than the primary hard drive to backup all recordings. Backup begins from when the mirrored hard drive is installed and configured.
- 6. Both firmware and software must be updated to latest version to ensure remote connectivity. Firmware updates are pushed to the NVR automatically over the Internet (available at <a href="www.lorex.com">www.lorex.com</a>). Always update to the latest software after upgrading the NVR firmware.

**Lorex Technology** 

www.lorex.com